

Colorectal Cancer Screening Guidelines Not Met (Age 50-75)

Most recent data (2013): 35% or about 185,300 King County adults age 50-75.

•Trend over time: Insufficient data to determine trend.

•Description: Had FOBT within 1 year, sigmoidoscopy within 5 years + FOBT within 3 years, or colonoscopy within 10 years

Colorectal cancer screening guidelines not met (age 50-75), King County, 2011-2013 average

	Percent	Lower CI	Upper CI
King County (age 50-75)	36	34	38
AGE			
50-64	40	37	42
65-75	24	21	27
GENDER			
Male	37	34	40
Female	34	31	37
RACE/ETHNICITY			
AIAN	*	*	*
Asian	43	34	52
Black	39	29	50
Hispanic	67	55	77
Multiple	37	23	53
NHPI	*	*	*
White	33	31	35
HOUSEHOLD INCOME			
<\$15,000	56	47	66
\$15,000 to \$24,999	53	45	60
\$25,000 to \$34,999	35	28	43
\$35,000 to \$49,999	36	31	42
\$50,000 to \$74,999	35	30	41
\$75,000+	28	25	31
REGION			
East	35	31	39
North	29	22	37
Seattle	35	31	39
South	36	33	39

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Colorectal cancer screening guidelines not met (age 50-75) King County, 2011-2013 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

----- Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Colorectal cancer screening guidelines not met (age 50-75) by comparison areas

The Healthy People 2020 Objective for colorectal cancer screening guidelines not met (age 50-75) is 30%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	N/A	N/A	N/A	N/A
WA State	2011	36	34	38
King County	2013	35	32	39

Notes:


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

N/A: Not available.

CI is 95% Confidence Interval.

Colorectal cancer screening guidelines not met (age 50-75) by comparison areas




Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.
|-----| Confidence interval shows range that includes true value 95% of the time.

Colorectal cancer screening guidelines not met (age 50-75) by health reporting areas, King County, 2011-2013 average

	Percent	Lower CI	Upper CI
King County (age 50-75)	36	34	38
Auburn	41	30	54
..Auburn-North	45	31	60
..Auburn-South	36	19	57
Bear Creek/Carnation/Duvall	35	27	45
Bellevue	35	28	43
..Bellevue-Central	37	23	54
..Bellevue-NE	39	25	56
..Bellevue-South	26	15	42
..Bellevue-West	38	25	54
Black Diamond/Enumclaw/SE County	27	19	38
Bothell/Woodinville	16 §	6 §	34 §
Burien	40	27	53
Covington/Maple Valley	39	28	50
Des Moines/Normandy Park	38	25	54
East Federal Way	38	25	53
Fairwood	34	20	51
Federal Way	32	22	43
..Fed Way-Central/Military Rd	33	20	50
..Fed Way-Dash Point/Woodmont	28	17	44
Issaquah	37	24	53
Kenmore/LFP	26	15	41
Kent	43	34	53
..Kent-East	*	*	*
..Kent-SE	45	33	58
..Kent-West	*	*	*
Kirkland	32	23	42
..Kirkland	38	26	52
..Kirkland North	22	13	34
Mercer Isle/Pt Cities	26	15	41
Newcastle/Four Creeks	34	22	48
North Highline	*	*	*
Redmond	48	32	64
Renton	27	19	37
..Renton-East	31	17	49
..Renton-North	*	*	*
..Renton-South	21	13	34
Sammamish	38	27	50
SeaTac/Tukwila	42	27	58
Seattle	35	31	39
..Ballard	28	18	41
..Beacon/Gtown/S.Park	*	*	*
..Capitol Hill/E.lake	41	28	56
..Central Seattle	32	20	48
..Delridge	35	20	53
..Downtown	38	21	58
..Fremont/Greenlake	37	25	50
..NE Seattle	33	23	44
..North Seattle	38	28	50
..NW Seattle	38	27	50
..QA/Magnolia	31	22	42
..SE Seattle	32	21	47
..West Seattle	39	26	53
Shoreline	37	26	48
Snoqualmie/North Bend/Skykomish	32	22	45
Vashon Island	42	26	60

Comparisons:

 Higher than King County rate (yellow)

 Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Colorectal cancer screening guidelines not met (age 50-75) by health reporting areas, King County, 2011-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
 Source: Behavioral Risk Factor Surveillance System.
 Prepared by Public Health - Seattle & King County, APDE, 12/2014.